

The Verratile Urban Line



Urban Line

Above All Lighting The Urbanline product family includes Versatile post top series and bollard, The VERSATILE series has the high-performance solution for the most demanding applications with an universal body and different shades. The Standard LED bollard with modern circular column shape provides downlight via various different tops including dome top, flat top and peak top.

















THE VERSATILE LED POST TOP

(None & Acorn Shade)









The VERSATILE series has the highperformance solution for the most demanding applications with an universal body and different shades. It can be used in many applications such as pedestrian street, factory, schools, garden, courtyard, hotel, parking lot, public parks etc.

- None or acorn shade.
- Photocontrol and microwave motion sensor optional.
- Tempered glass lens doesn't fade and discolor.
- IES distribution Types I, II & VN for various applications.





THE VERSATILE LED LUMINAIRE

(Bell & Petunia Shade)









The VERSATILE series has the highperformance solution for the most demanding applications with an universal body and different shades. It can be used in many applications such as pedestrian street, factory, schools, garden, courtyard, hotel, parking lot, public parks etc.

- Bell and petunia shades available.
- Photocontrol and microwave motion sensor optional.
- Tempered glass lens doesn't fade and discolor.
- IES distribution Types I, II & VN for various applications.

Accessories



VPTB-PDL Polycarbonate Drop Lens



SGA4 Single Gooseneck Arm for 4" OD Pole



TGA4 **Twin Gooseneck** Arm for 4" OD Pole

THE VERSATILE LED AREA LIGHT









The VERSATILE series has the highperformance solution for the most demanding applications with an universal body and different shades. It can be used in many applications such as pedestrian street, factory, schools, garden, courtyard, hotel, parking lot, public parks etc.

- Horizontal and vertical slip fitter mount
- Maximum 15°up and down adjustable.
- Photocontrol and microwave motion sensor optional.
- Tempered glass lens will not fade and discolor.
- IES distribution Types I, II & VN for various applications.



Versatile Slip Fitter for VPTD



VPTD-AR² Arm for VPTD

Notice:

- The versatile slip fitter can be mounted horizontally or vertically. Please check the installation manual for more details.
- VPTD-AR is optional with long lead time.



STANDARD LED BOLLARD















The Standard LED bollard with

modern circular column shape provides downlight via various different tops including dome top, flat top and peak top. The LED bollard is with high quality extrusion aluminum body and clear polycarbonate lens. The LED bollard is ideal for parks, lawns, plazas and residential applications.

- Dome, flat and peak tops for option
- High quality extrusion aluminum body
- Stainless steel silicone rubber sealing
- IP 66 rated for wet location

Accessories (ORDER SEPARATELY)




90245

ABMK01

Anchor bolt (M10) mounting

kits for standard bollard





THE VERSATILE LED POST TOP (None & Acorn Shade)

Ordering Information

Example: VPTA30401-T5



Name	Shade	Watts	CCT	Voltage	- Control	•	Installation	-	Distribution -	Lens	-	Finish
VPT	Blank - None ²	30 - 30W	30 - 3000K	1- 120-347V	- Blank - None	- Blan	k - 2 3/8" Tenon Pole	-	T1 - Type I -	Blank - Glass Clear Lens	-	Blank - Bronze
	A - Acorn	60 - 60W	40 - 4000K		PC - Photoelectric Control ¹				T2 - Type II			
		90 - 90W	50 - 5000K		MSW - Microwave Motion Sens	or			T5 - Type VN			
		150 - 150W										

Notice:

- 1. Photocontrol is not available for acorn shade.
- 2. For the "VPT" do not have shade, only 150W available.
- * Bronze finish is standard. Custom color is available for a premium setup fee. Consult customer service for additional information.

THE VERSATILE LED LUMINAIRE (Bell & Petunia Shade)

Ordering Information

Example: VPTB30401-T5



Name	Shade	Watts	ССТ	Voltage -	Control	Installation -	Distribution -	Lens	- Finish
VPT	B - Bell	30 - 30W	30 - 3000K	1 - 120-277VAC -	Blank - None -	Blank - Pendant Mount -	T1 - Type I -	Blank - Glass Clear Lens	- Blank - Bronze
	P - Petunia	60 - 60W	40 - 4000K		PC - Photoelectric Control ¹	Order and shipped	T2 - Type II	Order and shipped	
		90 - 90W	50 - 5000K		MSW - Microwave Motion Sensor	separately ²	T5 - Type V	separately ²	
		150 - 150W				SGA4 - Single Gooseneck	Narrow	PDL-Polycarbonate Drop Lens	
						Arm for 4" OD pole1			
						TGA4 - Twin Gooseneck Arm			
						for 4" OD pole ²			

Notice:

- 1. Photocell can only be mounted with SGA4 or TGA4.
- 2. Please check the accessory table for details.
- * Bronze finish is standard. Custom color is available for a premium setup fee.

Consult customer service for additional information.

THE VERSATILE LED AREA LIGHT

Ordering Information

Example: VPTD30401-T5





Name	Watts	ССТ	Voltage -	Control -	Installation -	Distribution	•	Lens	-	Finish
VPTD	30 - 30W	40 - 4000K	1 - 120-277V -	Blank - None -	Blank - No Mounting- Bracket	T1 - Type I	-	Blank - Glass Clear Lens	-	Blank - Bronze
	60 - 60W	50 - 5000K		PC - Photoelectric Control	Order and Shipped	T2 - Type II				
	90 - 90W			MSW - Microwave Motion Sensor	Separately ¹ VPTD -VSF	T5 - Type VN				
	150 - 150W				VPTD-AR ²					

Notice:

- 1. Order and shipped separately as accessory. More detials in the following accessory table.
- 2. VPTD-AR is optional with long lead time.
- * Bronze finish is standard. Custom color is available for a premium setup fee. Consult customer service for additional information.

STANDARD LED BOLLARD

Ordering Information

Example: DB24401-V



Тор	Watts	CCT	Voltage	Controls	Distribution	Lens	Finish
DB = Dome Top Bollard ¹	24 - 24W	30 - 3000K ²	1 - 120-277V	Blank - None	V - Type V	Blank - PC clear lens	Blank - Dark Bronze
FB = Flat Top Bollard		40 - 4000K					
PB = Peak Top Bollard		50 - 5000K					

Note:

- 1. DLC is only available for Dome Top.
- 2. DLC is not available for 3000K.

^{*} Bronze finish is standard. Custom color is available for a premium setup fee. Consult customer service for additional information.



The Verratile Urban Line



ABOVE ALL Lighting, Inc

- Q 1501 Industrial Way N. Toms River, NJ 08755
- 866-222-8866
- info@abovealllighting.com
- www.AboveAllLighting.com

©2019 ABOVE ALL all rights reserved