



DEEP FOCUS ROUND

- Fixtures in diameters from 11.8" through 23.6"
- Deep recessed light source design
- Pendant or surface mounted
- Direct and indirect lighting for option

DESCRIPTION

The Deep Focus Round Light offers the FOCUS family more choices. Fixture comes in diameters from 11.8" through 23.6". Deep recessed light source design achieving perfect glare control. Flexible installations come in pendant and surface mounted. Direct and indirect lighting for option. The Deep Focus Light is perfect for both commercial and residential applications.


- Input Voltage: 120-277V, 50/60Hz
 - 0-10V Dimming optional
 - Minimum Ambient -20°C, Maximum Ambient is 40°C
- Power Factor: > 0.9 at full load
- Total Harmonic Distortion: < 20% at full load

Watts	Lumen Output	Size	AC Input 120V	CCT	LPW
15W	1280	11.8"	0.13A	3000K	85
20W	1700	15.7"	0.17A	3000K	85
25W	2100	18.9"	0.21A	3000K	85
40W	3400	23.6"	0.33A	3000K	85
50W	4250	18.9"	0.42A	3000K	85
80W	6800	23.6"	0.67A	3000K	85

SPECIFICATION


Suspended - Down

15W, 20W, 25W, 40W
D: 11.8"(D300mm), 15.7"(D400mm),
 18.9"(D480mm), 23.6"(D600mm)
H: 4.0"(100mm)
A: 10.0" (250mm)
B: 1.38" (35mm)




Stem - Down

15W, 20W, 25W, 40W
D: 11.8"(D300mm), 15.7"(D400mm),
 18.9"(D480mm), 23.6"(D600mm)
H: 4.0"(100mm)
A: 5.0" (127mm)
B: 1.4" (36mm)




Suspended - Up and Down

50W, 80W
D: 18.9"(D480mm), 23.6"(D600mm)
H: 4.0"(100mm)
A: 10.0" (250mm)
B: 1.38" (35mm)




Stem - Up and Down

50W, 80W
D: 18.9"(D480mm), 23.6"(D600mm)
H: 4.0"(100mm)
A: 5.0" (127mm)
B: 1.4" (36mm)




Surface mounted - Down

15W, 20W, 25W, 40W
D: 11.8"(D300mm), 15.7"(D400mm),
 18.9"(D480mm), 23.6"(D600mm)
H: 5.3" (135mm)



Surface mounted - Up and Down

50W, 80W
D: 18.9"(D480mm), 23.6"(D600mm)
H: 5.3" (135mm)





Rod Pendant Mount



Surface Mount



Aircraft Cable Pendant Mount


- Pendant or surface mounted



Φ11.8"




Φ15.7"



Φ18.9"



Φ23.6"



- Fixtures in diameters from 11.8" through 23.6"







- Deep recessed light source design



ABOVE ALL Lighting, Inc.

 1135 Thomas Busch Highway,
Pennsauken, NJ 08110

 866-222-8866

 info@abovealllighting.com

 www.AboveAllLighting.com