



Our Jasper Magnetic Track Light is designed for decorative and general lighting. Different inner and outer finish color. Semi spherical shape yields a smooth uniform light output. The fixture is available as pendant mounted to our 24V magnetic track system.

### TECHNICAL DATA

Wattage	10W
Input Voltage	24VDC
Beam Angel	80°
CCT	2700K, 3000K, 3500K, 4000K
CRI	90Ra
Driver	Triac, 0/1-10V
Certifications	cETL Listed RoHS compliant
Installation	Magnetic
Environment	Indoor



White Inner Shade  
Black Outer Shade



White Inner Shade  
White Outer Shade



Magnetic Track Profile



Magnetic Track Profile  
Recessed with Flange

NOTE:  
Straight Magnetic Track Profile sold separately.

## ORDERING INFORMATION

EXAMPLE: JAS10-3090-24V-80-MTM-GDBK


JAS Series	Wattage	CCT&CRI	Voltage	Beam Angle	Installation	Inner and Outer Shade Color
JAS	10 10W	2790 2700K/90Ra  3090 3000K/90Ra  3590 3500K/90Ra  4090 4000K/90Ra	24V <sup>1</sup> 24VDC <sup>1</sup>	80 80 degree	MTM Magnetic Track Mount	GDBK <sup>2</sup> Golden Inner Shade and Black Outer Shade <sup>2</sup>  WHBK <sup>2</sup> White Inner Shade and Black Outer Shade <sup>2</sup>  WHWH <sup>2</sup> White Inner Shade and White Outer Shade <sup>2</sup>

**NOTE:**

1. The fixture is used for 24V magnetic track system.
2. Golden inner shade and black outer shade is the standard finish. Custom finish colors are available at an additional charge. Please contact Customer Service for premium options.

## DIMENSION


10W



## PHOTOMETRY

All published luminaire photometric testing performed to IESNA LM-79-08 standards by a NVLAP certified laboratory. IESNA LM-79-08 specifies the entire luminaire as the source resulting in a fixture efficiency of 100%. Results may vary per actual order.

### Luminous Intensity Distribution Diagram



## PERFORMANCE DATA

Lumen values are measured by third party certified laboratories performed in accordance with IESNA LM-79-08 as well as Lighting Facts listed.

Wattage	Shade Color	Lumen Output	CRI	CCT
10W	Golden Inner Shade Black Outer Shade	460lm	90	3000K
10W	White Inner Shade Black Outer Shade	500lm	90	3000K
10W	White Inner Shade White Outer Shade	500lm	90	3000K

## WARRANTY

5 years limited warranty.

Specifications subject to change without notice.