





The Lumi LED Puck Light is made of fire-resistant polycarbonate surface mount kits, durable aluminum trim and frosted PMMA lens. It is easy to install. Each puck light equals to a 10W incandescent fluorescent or halogen lamp. Low profile appearance can be recessed and surface mounted. It is ideal for closets, cabinet, shelf, corridor, basements, storage areas and attics etc.

TECHNICAL DATA

Wattage	3W
Lumen Output	200lm
CCT	Selectable 3000K/4000K/5000K
Dimming	Dimmable with most low-voltage electronic dimmers when used with the dimming power supply
CRI	90
Cut Out	Ø2-3/8"
Beaming Angle	120°
Input Voltage	12Vdc
Projected Lifetime	L70-50,000 Hours
Operating Temp.	14-104°F (-10-40°C)
Certifications	cETLus conforms to UL Std. 1598 Cert. to CSA Std. C22.2 No.250.0 RoHS compliant Suitable for dry locations
Power Factor	>0.9 at full load



Recessed Mount



Surface Mount

FEATURES

- **Versatile Installation Options:** Recessed mount or surface mount.
- **Advanced Performance Features:** Can be interconnected, up to a maximum of 7 puck lights per 24W transformer box.
- **Selectable:** Three CCT selectable.

ORDERING INFORMATION

EXAMPLE: LPKR-3-SW90-12V-WH

LPK						
Series	Shape	Wattage	CCT	CRI	Voltage	Trim Finish
LPK Lumi Puck Light	R Round	3 3W	SW Selectable ¹ 3000K 4000K 5000K	90 90CRI	12V 12Vdc	WH White ²

NOTE:

1. 3000K is default setting.

2. Standard trim finish is white. Custom color is available at an additional charge.

ACCESSORIES (ORDERED AND SHIPPED SEPARATELY)



LPK010-120-12-D¹

10W 12VDC to 120V Driver



LPK-SMK-WH

Surface mount kits

LPK024-120-12-D²


24W 12VDC to 120V Driver

¹ Minimum 2 and maximum
3 fixtures are suggested for
LPK010-120-12-D.

² Minimum 4 and maximum
7 fixtures are suggested for
LPK024-120-12-D.

DIMENSIONS

With Surface Mount Kits



PERFORMANCE DATA

Lumen values are measured by third party certified laboratories performed in accordance with IESNA LM-79-08 as well as Lighting Facts listed.

Nominal Wattage	Lumen Output	CCT	CRI	Input
3W	200lm	4000K	90	12Vdc

WARRANTY

5 years limited warranty.
Specifications subject to change without notice.