

# STRAIGHT MAGNETIC TRACK LIGHT

## Meteor Pendant



Not only for decoration, it's professional in atmosphere creation by precious light control. Thanks to the length adjustable cable, the magnetic pendant works smooth in different spaces. Comfortable lighting without glare.

### TECHNICAL DATA

|                       |                               |
|-----------------------|-------------------------------|
| <b>Wattage</b>        | 5W                            |
| <b>Input Voltage</b>  | 24VDC                         |
| <b>Lens</b>           | Diffused                      |
| <b>CCT</b>            | 2700K, 3000K, 3500K, 4000K    |
| <b>CRI</b>            | 90Ra                          |
| <b>Driver</b>         | Triac, 0/1-10V                |
| <b>Certifications</b> | cETL Listed<br>RoHS compliant |
| <b>Installation</b>   | Magnetic                      |
| <b>Environment</b>    | Indoor                        |



4"



8"

### ORDERING INFORMATION

EXAMPLE: MET8-05-3090-24V-DL-MTM-BK


| MET Series | Tube Length | Wattage  | CCT&CRI            | Voltage                                | Lens           | Installation                   | Finish                                |
|------------|-------------|----------|--------------------|--|----------------|--------------------------------|---------------------------------------|
| MET        | 4<br>4"     | 05<br>5W | 2790<br>2700K/90Ra | 24V <sup>1</sup><br>24VDC <sup>1</sup> | DL<br>Diffused | MTM<br>Magnetic<br>Track Mount | BK <sup>2</sup><br>Black <sup>2</sup> |
|            | 8<br>8"     |          | 3090<br>3000K/90Ra |  |                |                                | WH <sup>2</sup><br>White <sup>2</sup> |
|            |             |          | 3590<br>3500K/90Ra |  |                |                                |                                       |
|            |             |          | 4090<br>4000K/90Ra |  |                |                                |                                       |

**NOTE:**

1. The fixture is used for 24V magnetic track system.
2. Black and white finish is standard. Custom finish colors are available at an additional charge. Please contact Customer Service for premium options.

### DIMENSION


**4" Tube**



# STRAIGHT MAGNETIC TRACK LIGHT

## Meteor Pendant


### 8" Tube




Ref#: 20260327

## PHOTOMETRY

All published luminaire photometric testing performed to IESNA LM-79-08 standards by a NVLAP certified laboratory. IESNA LM-79-08 specifies the entire luminaire as the source resulting in a fixture efficiency of 100%. Results may vary per actual order.



**MET4**



**MET8**

## PERFORMANCE DATA

Lumen values are measured by third party certified laboratories performed in accordance with IESNA LM-79-08 as well as Lighting Facts listed.

| Wattage | Tube Length | Lumen Output | CRI | CCT   | LPW |
|---------|-------------|--------------|-----|-------|-----|
| 5W      | 3.94"       | 460lm        | 90  | 3000K | 92  |
| 5W      | 7.87"       | 460lm        | 90  | 3000K | 92  |